

U S CHEMICAL & PLASTICS

An Alco Industries Company
600 Nova Drive SE
Massillon, OH 44646
PH 330-830-6000 - FAX 330-830-6005

FOR CHEMICAL EMERGENCY

CHEMTREC: 1-800-424-9300
(For Canada, call collect)
CANUTEC: 1-613-996-6666

=====
SECTION I - IDENTIFICATION OF PRODUCT
=====

PRODUCT NAME: PAINT BOOTH COATING
PRODUCT CODE: (39975), 36152, 36153, 36154, 36155
SYNONYM/CROSS REFERENCE: Spray Applied Paint Mask
SCHEDULE B NUMBER: 3209.10.000

=====
SECTION II - HAZARDOUS INGREDIENTS
=====

INGREDIENTS	WGT%	CAS #	TLV/PEL
-------------	------	-------	---------

DOES NOT CONTAIN CHEMICALS SUBJECT TO THE SECTION 313 TITLE III SARA REPORTING.

=====
SECTION III - PHYSICAL DATA
=====

APPEARANCE: Yellow, orange or red liquid
SPECIFIC GRAVITY: 1.03
VAPOR PRESSURE (mmHG): N/E
BOILING POINT: N/E
VAPOR DENSITY: Heavier than air
EVAPORATION RATE (Ethyl Ether = 1): Slower than Ethyl Ether
VOLATILES BY WEIGHT: Approx 85 - 95%
SOLUBILITY IN WATER: Soluble
VOC: Grams/Liter = None
Lbs/Gallon = None
pH: 7 - 10.5

=====
SECTION IV - FIRE AND EXPLOSION DATA
=====

FLASH POINT: >200°F/94°C
LOWER FLAMMABLE LIMIT %: N/E
UPPER FLAMMABLE LIMIT %: N/E
FIRE EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam
SPECIAL FIRE FIGHTING PROCEDURES: N/ap
UNUSUAL FIRE AND EXPLOSION HAZARD: Closed containers exposed to high temperatures such as fire conditions may rupture

=====
SECTION V - HEALTH HAZARD/TOXICOLOGICAL PROPERTIES
=====

OVEREXPOSURE EFFECTS:

ACUTE EFFECTS:

EYES: Contact with eyes can cause irritation, redness, tearing, blurred vision, and/or swelling

SKIN: Contact with skin can cause irritation, (minor itching, burning and/or redness).

INHALATION: Inhalation of vapors can cause nasal and respiratory irritation.

INGESTION: Ingestion can cause gastrointestinal irritation, nausea, diarrhea.

CHRONIC EFFECTS:

Overexposure to this material has apparently been known to cause the following effects in lab animals:
Not known

CARCINOGEN: YES _____ NO X_____

TERATOGEN: YES _____ NO X_____

MUTAGEN: YES _____ NO X_____

PRIMARY ROUTES OF EXPOSURE: inhalation, skin, eyes

FIRST AID:

INHALATION: If inhaled, remove victim from exposure to a well-ventilated area.

SKIN: Wash with soap and water.

EYES: For eye contact, flush promptly with excess water for at least fifteen minutes. Consult a physician.

INGESTION: If ingested, do not induce vomiting. Give victim a glass of water. Call a physician

=====
SECTION VI - REACTIVITY DATA
=====

STABILITY: Stable

CONDITIONS TO AVOID: Open flames and heat.

INCOMPATIBILITY MATERIALS TO AVOID: Strong acids, alkalis, oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide, Carbon Monoxide and Carbon.

HAZARDOUS POLYMERIZATION: Will not occur.

=====

SECTION VII - SPILL AND DISPOSAL PROCEDURE

=====

SPILLS, LEAK OR RELEASE: Contain spill with inert absorbent.

WASTE DISPOSAL: Dispose of in accordance with local, state, and federal regulations.

=====

SECTION VIII - PROTECTION INFORMATION

=====

RESPIRATORY PROTECTION: None normally required with general ventilation.

VENTILATION: General mechanical ventilation is acceptable. Normal room ventilation.

PROTECTIVE GLOVES: Rubber gloves are recommended.

EYE PROTECTION: Safety Glasses or goggles to prevent exposure to eyes.

OTHER PROTECTIVE EQUIPMENT: Wear protective clothing as required to prevent skin contact.

=====

SECTION IX - HANDLING AND STORAGE PRECAUTIONS

=====

STORAGE AND HANDLING: Use with adequate ventilation. Avoid contact with eyes and skin. Avoid breathing vapors. Do not store the product above 100°F/38°C. Do not flame, cut, braze weld or melt empty containers. Keep the product away from heat, open flame, and other sources of ignition. Avoid contact with strong acids, alkalis, and oxidizers.

=====

SECTION X - ADDITIONAL INFORMATION

=====

SHIPPING INFORMATION: Please comply with DOT regulations in USA

HMIS RATING:

Health	1	4 = Extreme
Fire	1	3 = High
Reactivity	0	2 = Moderate
		1 = Slight
		0 = Insignificant

Personal Protection - See Section VIII

=====

CALIFORNIA PROPOSITION 65:

This product does not contain chemicals subject to reporting under the Standard.

SECTION 313 SUPPLIER NOTIFICATION:

This product contains the following toxic chemicals subject to the reporting requirements of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CHEMICAL NAME</u>	<u>CAS</u>	<u>% BY WGT</u>
----------------------	------------	-----------------

NOT APPLICABLE

THIS INFORMATION MUST BE INCLUDED IN ALL MSDS's THAT ARE COPIED AND DISTRIBUTED FOR THIS CHEMICAL

=====

ABBREVIATIONS

=====

IARC = International Agency for Research on Cancer
ACGIH = American Conference of Governmental Industrial Hygienists
NIOSH = National Institute of Occupational Safety and Health
TLV = Threshold Limit Value
PEL = Permissible Emission Level
DOT = Department of Transportation
NTP = National Toxicology Program
N/AV = Not Available
N/AP = Not Applicable
N/E = Not Established
N/D = Not Determined

PREPARED BY: U S CHEMICAL & PLASTICS
An Alco Industries Company
600 NOVA DRIVE SE
MASSILLON, OH 44646

TELEPHONE NBR 330-830-6000
FAX NBR 330-830-6005

DATE REVIEWED: January 12, 2006
DATE REVISED: June 5, 2002
REVISION: Format

The information in the Material Safety Data Sheet has been compiled from our experience and from data presented in various technical publications. It is the user's responsibility to determine the suitability of this information for the adoption of the safety precautions as may be necessary. We reserve the right to revise Material Safety Data Sheets from time to time as new technical information becomes available. The user has the responsibility to contact the Company to make sure that the MSDS is the latest one issued.